

# DIY Spectrum Analyzer Input Protection

May 24, 2019

Spectrum analyzers like the SIGLENT SSA3000X and SVA1000X series are extremely useful instruments that can provide invaluable insight into broadcast signal performance, transmitter troubleshooting, and interference as well as RF device characterization and EMC testing.


But, like other spectrum analyzers, they are very sensitive and can be damaged easily, if the proper precautions are not followed.

The instruments have standard protection elements that includes a DC blocking capacitor and an automatic attenuator that help to prevent damage from low frequency and higher powered signals. There is even an audible and visible warning if the ADC (Analog-to-Digital Converter) overload.

In addition to this, adding external attenuation and protection can be useful in further preventing damage, especially when connecting to unknown sources such as antennas, transmitters, and LISNs.

One of our customers, Mr. Jeff Covelli (WA8SAJ), is a HAM (Amateur Radio Operator) who recently shared a very simple protection box that can be useful for keeping that sensitive front end functioning when connecting to unknown signal sources.

He uses it to help protect the input on his SIGLENT SDG1032X signal generator as well as his SSA3021X spectrum analyzer:





And he has a pretty impressive setup:



And here are the details:








**This Prevents High-Voltage From Entering Test Equipment !!**

**Will Pass R.F. Up To 500 MHz**



**Pamona Cast Aluminum Box**

**NOTE: Most testing in High-Voltage areas is done below 500 MHz**

**By: Jeff Covelli WA8SAJ**

Title High-Voltage Isolalator		
Author Jeff Covelli / WA8SAJ		
File	C:\TinyCAD\library\High Voltage, ISO.1.dsn	Document
Revision 1.0	Date Feb 4, 2016	Sheets 1 of 1

At some point, I hope to characterize this setup and provide S11, S21 information.. but, if your signal is unknown, this will add an additional layer of protection when measuring an unknown signal for the “first time”.



### **North American Headquarters**

SIGLENT Technologies America, Inc  
6557 Cochran Rd Solon, Ohio 44139  
Tel: 440-398-5800  
Toll Free:877-515-5551  
Fax: 440-399-1211  
[info@siglent.com](mailto:info@siglent.com)  
[www.siglentamerica.com/](http://www.siglentamerica.com/)

### **European Sales Offices**

SIGLENT TECHNOLOGIES EUROPE GmbH  
Staetzlinger Str. 70  
86165 Augsburg, Germany  
Tel: +49(0)-821-666 0 111 0  
Fax: +49(0)-821-666 0 111 22  
[info-eu@siglent.com](mailto:info-eu@siglent.com)  
[www.siglenteu.com](http://www.siglenteu.com)

### **Asian Headquarters**

SIGLENT TECHNOLOGIES CO., LTD.  
Blog No.4 & No.5, Antongda Industrial Zone,  
3rd Liuxian Road, Bao'an District,  
Shenzhen, 518101, China.  
Tel:+ 86 755 3661 5186  
Fax:+ 86 755 3359 1582  
[sales@siglent.com](mailto:sales@siglent.com)  
[www.siglent.com/ens](http://www.siglent.com/ens)