

SIGLENT Technologies adds Electronic DC-Loads to their existing Range of Products

June 17, 2019

The introduction of the SDL1000X/X-E Series of programmable, Electronic Loads brings Siglent value to battery and power supply Engineers. The newly presented E-Loads feature an input range of up-to 150V/30A and are available in 200 or 300 Watt versions. These versatile instruments fit perfectly in static and dynamic testing of power supplies, embedded power designs as well as for verifying battery and solar cell performance.



April 2019: SIGLENT Technologies has introduced the SDL1000X and SDL1000X-E series of programmable electronic DC-Loads. The SDL1020X/X-E models offer an input range of 150 V/30 A with 200 W total power dissipation, while the SDL1030X/X-E's have an input range of 150 V/30 A up-to 300 W. The X type provide a measurement resolution of 0.1 mV/0.1 mA, whereas the economical X-E type offers a still great 1 mV/1 mA.

A 4-wire sense compensation mode is also implemented to remove any additional error due to the voltage drop in the connection wires. The loads support all the common modes of operation: CC/CV/CR and CP.

One of the most important features of this new e-load series is its high-speed response performance. In dynamic test mode, the highest frequency of periodical switching between two user-defined levels (Level A and Level B) can achieve 25 kHz. The adjustable slew rate can be set by the user up to a value of 2.5 A/us.

All models come standard with a 3.5-inch TFT-LCD display. The user-friendly interface makes the Load easy to operate. As part of this functionality, the operator can use the Program function (maximum 50 groups) and List function (maximum 100 steps) to create complex discharge profiles which can be useful in battery charging circuitry design.

For an additionally increased customer value, the SDL1000X/X-E series is equipped with more additional features to make testing easy and fast. For example, the loads have a LED-test mode (CR-LED) designed specifically for LED driver testing. This mode is able to emulate LED's actual characteristics such as single continuity. Furthermore, the instruments have a voltage threshold function, trend chart function and voltage Rise/Fall speed test implemented.

For maintaining security and reliability, the SDL1000X/X-E series provide comprehensive protection features like over-current (OCP), over-voltage (OVP), over-power (OPP), over-temperature protection (OTP)



as well as reverse voltage protection to prevent incorrect wiring connections to the Device-Under-Test.

The price for this series of electronic loads starts at 439.- € (net)

About:

SIGLENT TECHNOLOGIES started in 2002 with the development of their first oscilloscope. Now, the portfolio has rapidly expanded to cover many areas of general purpose test instrumentation, including oscilloscopes, signal and function generators, digital multimeters, lab power supplies, electronic DC-Loads, spectrum analyzers and RF-signal generators.

Today SIGLENT TECHNOLOGIES is a global leader producing electronic test and measurement equipment that combines innovative features and functionality with a strong commitment to quality and performance. SIGLENT is ISO 9001:2000 and ISO 14001:2004 certified for its product quality and environmental management programs.

Contact:

Siglent Technologies Germany GmbH

Liebigstrasse 2-20, Gebaeude 14, 22113 Hamburg Germany

Tel: +49(0)40-819-95946

Fax: +49(0)40-819-95947

Email: info-eu@siglent.com

www.siglenteu.com



North American Headquarters

SIGLENT Technologies America, Inc
6557 Cochran Rd Solon, Ohio 44139
Tel: 440-398-5800
Toll Free: 877-515-5551
Fax: 440-399-1211
info@siglent.com
www.siglentamerica.com/

European Sales Offices

SIGLENT TECHNOLOGIES EUROPE GmbH
Staetzlinger Str. 70
86165 Augsburg, Germany
Tel: +49(0)-821-666 0 111 0
Fax: +49(0)-821-666 0 111 22
info-eu@siglent.com
www.siglenteu.com

Asian Headquarters

SIGLENT TECHNOLOGIES CO., LTD.
Blog No.4 & No.5, Antongda Industrial Zone,
3rd Liuxian Road, Bao'an District,
Shenzhen, 518101, China.
Tel: +86 755 3661 5186
Fax: +86 755 3359 1582
sales@siglent.com
www.siglent.com/ens